




**HENRAD**

## **ALL OPTING FOR SUSTAINABLE HEAT**

Radiators, in combination with heat pumps, classic or electric? The choice is yours.



# HENRAD, the reference in radiators

Henrad radiators heat millions of homes across Europe. With our VENTO and unique ECO technologies, we are the European trendsetter in the development of new low temperature solutions. Thanks to our 100% focus on radiators, we do not only bring the most energy-efficient radiators on the market, but also offer solutions within everyone's reach.



## A HEART FOR GREEN HEAT

Warmth stands for cosiness and comfort. With one turn of the thermostat you can conjure up a cold house or an uninviting office into a cozy home or a comfortable workplace. That is what makes heat so indispensable in our daily lives.

## TAKE CARE OF OUR FUTURE

At Henrad, we do not only care for our consumers today, but also for the generations of tomorrow.



More than a third of all our available energy in the West is used for heating buildings and heating water. That is more than we use on all our transport combined. So it is high time for a drastic revolution in how we deal with energy. Good insulation and especially the use of modern heating technologies help us a long way; especially in combination with renewable energy sources. When we combine these new technologies with the revolutionary low temperature systems of the Henrad ECO and VENTO radiators, they can perform optimally.

## STRICTLY CONTROLLED QUALITY

We think it is important that everyone should be able to choose our quality. Whether you live in a city house or in a spacious villa in the countryside, every home deserves Henrad quality. Every radiator that leaves our production site must meet the highest quality requirements. That is also the reason why we confidently give a ten-year warranty on our radiators.



# OVERVIEW

**VENTO**



**ECO**



**ELECTRIC**



**DECO**




**DESIGN**




**STANDARD**



**SPECIAL**



**BATHROOM**





# CHOOSE YOUR WARMTH

When looking for the right radiator, you have to make a few decisions, we are happy to help you with. Below you will find some questions that will help you choose the right radiator.

## DO YOU WANT A RADIATOR ...

- with a **ribbed** or a **decorative** front?
- with or without **visible piping**?
- which heats **ecologically** and sustainably? Then the choice lies with our **ECO radiators**.
- with **built-in fans** so that the room heats up even faster in winter? The **VENTO radiators** are the answer.
- In combination with a heat pump, set at a minimum of 17° C, you can also cool with the VENTO radiators.
- For certain purposes, e.g. in small spaces, as additional heating or in combination with solar panels, our **electric radiators** offer the ideal solution.

We already offer you the common thread through our range. We would like to explain all aspects of these radiators further in the brochure.

		RIBBED FRONT		FLAT OR DECORATIVE FRONT					
CLASSIC	PIPING VISIBLE	Standard All In p.33 	Compact All In p. 33 	Compact Plan p. 26 	Compact Line p. 26 				
	PIPING ENCLOSED	Premium 8 p. 33 	Alto p. 33 	Everest Plan 8 p.25 	Everest Line 8 p. 25 	Alto Slim p. 21 	Alto Swing p. 22 	Alto Tango p. 22 	Alto Plan p. 23 
ECO	PIPING ENCLOSED	Premium ECO p. 13 		Everest Plan ECO p. 23 	Everest Line ECO p. 24 	Everest Slim ECO p.21 			
VENTO	PIPING VISIBLE	Compact VENTO p. 10 		PIPING ENCLOSED					
				Everest Plan VENTO p. 10 					
DESIGN		Arno Single/Double p. 29 	Verona Vertical p. 30 	Venice p. 30 	ELECTRIC				
				Oceanus E p. 17 	Oceanus E-VENTO p. 17 	Alto E p. 18 	Alto Plan E p. 18 		

# COLOUR YOUR WARMTH

## How do I order a coloured radiator?

Firstly, the radiator's item number then the item number of the colour + description.

*e.g. 0274202206 SN170 Black*

## COLOURS OF NATURE



## METALLIC COLOURS



## COLOURS FOR SANITARY WARES






## RAL COLOURS\*



The colours are illustrative only.

\*Gloss degree ISO2813: 70% ± 5%.

# VENTO RANGE



**VENTO RANGE:** Compact VENTO • Everest Plan VENTO

# VENTO RANGE

## Ultra-low temperature radiators

**BUILT-IN VENTILATORS GENERATE ADDITIONAL CONVECTION HEAT DURING WINTER AND PROVIDE COOLING IN THE SUMMER**

### Heating at lower temperatures

We all have to reduce energy consumption in our homes. We can achieve that with good insulation and heating at low temperatures, be that with a **traditional central heating system** or a **renewable energy** solution like a heat pump.

To heat your home efficiently and achieve a comfortable temperature you need **the right heat emitters**. The **VENTO low-temperature radiator** is specially designed to be highly efficient even at ultra-low water temperatures, for renovation and newbuild.



And you can still install VENTO radiators even if you're not quite ready to invest in a heat pump yet. The key to **optimal energy-efficient home** heating that's fit for the future. Not forgetting their timeless look. VENTO is the sustainable choice in every regard.

### Did you know?

A low-temperature heating system can reduce your energy consumption by up to 20 per cent? That will be immediately reflected in your bill without compromising on room temperature and speed of heating.



"Built-in ventilators automatically generate additional convection heat. But that's not all, because when you use it with a heat pump set at no lower than 17°C you can also use a VENTO radiator to cool down your home."



# VENTO

## This radiator makes your life easier

**VENTO AND INNOVATIVE HEATING TECHNOLOGY GO HAND IN HAND.  
THE RADIATORS ARE EASY TO INSTALL AND EASY TO USE.**

### SMART AND USERFRIENDLY

The fully automatic VENTO radiators work like any other radiator. There are no confusing operating panels or bewildering buttons. The temperature is regulated in the same way as in regular radiators, with a thermostatic valve with or without a room thermostat.

### EASY TO INSTALL

Gas condensation boiler, fuel oil boiler or (hybrid) heating pump. VENTO radiators can be easily connected to any heating source. A hybrid heating pump is clearly the best option. VENTO radiators are installed in the same way as traditional radiators. All you need is a free socket!



### STYLISH HEATING

Everything is built into VENTO radiators, so they retain that classic radiator form. They are two versions: the Compact VENTO with four connections and a ridged front panel, and the Everest Plan VENTO with six connections and a flat front panel. The Everest Plan VENTO is more minimalistic, smart and decorative. Both are type-22 radiators, available in 9 different widths (500mm-2000mm) and three different heights (400, 600 and 900mm). You choose.

“Its smooth flat front makes the Everest Plan VENTO minimalistic, smart and decorative all in one.”





# VENTO RANGE

## Compact VENTO



**ENCASED ULTRA-LOW TEMPERATURE RADIATOR WITH BUILT-IN VENTILATORS.**

The Compact VENTO radiator is fully enclosed with side panels and a decorative grille that both fit seamlessly to the radiator. Built-in ventilators increase convection heat in winter and provide cooling in summer.



### SUPPLIED WITH:

AC/DC adapter 240V/12V with power cable, brackets, screws, plugs, air vent, blind plug and installation instructions.


The Compact VENTO range consists of type 22 available in 9 widths (500 up to 2,000 mm) and 3 heights (400, 600 and 900 mm).

## Everest Plan VENTO



**DECORATIVE ULTRA-LOW TEMPERATURE RADIATOR WITH FLAT FRONT AND BUILT-IN VENTILATORS..**

The Everest Plan VENTO is the decorative variant of the Compact VENTO radiator. Built-in ventilators increase convection heat in winter and provide cooling in summer.



### SUPPLIED WITH:

AC/DC adapter 240V/12V with power cable, brackets, screws, plugs, air vent, blind plug and installation instructions.

The Everest Plan VENTO range consists of type 22 available in 9 widths (500 up to 2,000 mm) and 3 heights (400, 600 and 900 mm).

# WHY CHOOSE A VENTO radiator?




CONVINCING ARGUMENTS FOR CHOOSING SUSTAINABLE ENERGY.




## ENERGY EFFICIENT

Heat sources like heat pumps are more efficient when running on a low temperature supply, even as low as 35°C. **Lowering the temperature** reduces your energy bill and your carbon emissions.




## WHISPER IT: JUST PERFECT

you won't be disturbed by the ventilators that generate **additional convection heat**. While other classic systems usually have three settings, the VENTO convection technology has a modulating thermostat to ensure it reaches your desired temperature **quickly and noiselessly**. As a result, the noise will always be automatically reduced to a minimum, and will be barely audible.



## SMART AND USER-FRIENDLY

The **fully automatic** VENTO radiators **work like any other radiator**. The temperature is regulated in the same way as in regular radiators, with a thermostatic valve with or without a room thermostat.



## HEATING AND COOLING

But that's not all, because when you use it with a heat pump set at no lower than 17°C you can also use a VENTO radiator to cool down your home. Homes are increasingly being well insulated, which increases the risk of overheating in the summer. The cooling kicks in automatically, generating a pleasant breeze.



## EASY TO INSTALL




Gas condensation boiler, fuel oil boiler or (hybrid) heating pump. VENTO radiators can be **easily connected to any heating source**. A hybrid heating pump is clearly the best option. They also go perfectly with **floor heating**, also a heating system at a low temperature. VENTO radiators are installed in the same way as traditional radiators. All you need is a free socket !



## NEWBUILD AND RENOVATION

VENTO radiators can be combined with all types of heat sources, which makes them suitable for newbuild or renovations. They are specially designed to **connect to existing pipework**. The Compact has four connections on the side. The Everest Plan also has two lateral connections at the bottom. This makes this luxury radiator very suitable for renovations.

# ECO RANGE



**ECO RANGE:** Premium ECO • Hygiene ECO

ECO - DECO RANGE: Everest Slim ECO • Everest Line ECO • Everest Plan ECO

ECO - SPECIAL RANGE: Hygiene ECO Galva • ECO Galva

# ECO RANGE

## Premium ECO

### LOW-TEMPERATURE VALVE RADIATOR WITH SERIAL FLOW

#### FASTER TO HEAT UP

The water flows into the ECO radiator in a unique manner. The serial intake of hot water, first into the front panel and then into the back, means you feel warmth faster.



#### PRE-ASSEMBLED:

preset, adjustable Heimeier valve, a specially designed ECO air vent and blind plugs.

#### SUPPLIED WITH:

brackets, anti-lift clip, screws, plugs and installation instructions.


#### COMFORT FROM MORE FRONT PANEL RADIATION

Due to direct intake technology – unique to Henrad ECO radiators – the water in the front panel is higher in temperature. As a result, your radiator emits more radiant heat, which increases the feeling of comfort with no detriment to the function of lower temperature systems.



#### REDUCED HEAT LOSS INTO THE WALL

Due to the higher radiation temperature from the front panel, the back panel is less hot than on other radiators. As a result, less radiant heat is lost in the wall from the back panel of the radiator.



#### FULLY COMPATIBLE WITH RENEWABLE ENERGY SOURCES

The ECO radiator is perfectly suited for both individual and collective heating installations. It can be connected to a modulating gas or fuel burner and is combinable with all kinds of low temperature systems, such as heat pumps, solar cells and biomass installations.



**“MORE COMFORT, LESS CO<sub>2</sub>,  
HEATS UP FASTER, MORE SAVINGS”**



The Premium ECO range consists of 4 types available in 18 widths (400 up to 3,000 mm) and 6 heights (300 up to 900 mm).

# ECO RANGE

## Hygiene ECO


LOW-TEMPERATURE VALVE RADIATOR WITH SERIAL FLOW, PURPOSE-DESIGNED FOR ENVIRONMENTS IN WHICH HYGIENE AND SAFETY ARE OF GREAT IMPORTANCE

The Hygiene ECO radiator has no grille and side panels which simplifies the maintenance of the radiator significantly.

### PREMIUM ECO & HYGIENE ECO ALSO AVAILABLE IN GALVANIZED VERSION



The galvanized version of the ECO radiator was specially designed and treated with an additional protective coating for use in moist areas.



#### PRE-ASSEMBLED:

preset, adjustable Heimeier valve, a specially designed ECO air vent and blind plugs.

#### SUPPLIED WITH:

brackets, anti-lift clip, screws, plugs and installation instructions.


The Hygiene ECO range consists of 3 types (10, 20 and 30) available in 18 widths (400 up to 3,000 mm) and 6 heights (300 up to 900 mm).

# WHY CHOOSE A HENRAD PREMIUM ECO RADIATOR?

REASONS ENOUGH TO CHOOSE HEAT THAT GOES GREEN



Lowers your energy bill  
**UP TO 10,5 %**



More radiant heat  
**UP TO 50 %**




Higher average surface temperature in the front panel  
**UP TO 53 %**



Comfortably warm even with low temperature systems



Faster to heat up  
**UP TO 23 %**



Lowers the energy losses by reduced emissions from the back  
**UP TO 8,8 %**



Preset thermostatic valve saves  
**UP TO 6 %**



Fully compatible with renewable energy sources




Environmentally friendly heating



Left or right side valve position

# ELECTRIC RANGE



**ELECTRIC RANGE:** Oceanus E • Oceanus E-VENTO • Alto E • Alto Plan E

# ELECTRIC RANGE

## Oceanus E

### ELECTRIC CLASSIC BATHROOM RADIATOR

A radiator that's always ready, in every season... always convenient in the bathroom. Whether you want to preheat a towel, or heat the room to an enjoyable temperature, you can always rely on the Oceanus E.



#### PRE-ASSEMBLED:

pre-filled with heating liquid and equipped with a thermostat. Available as a version with 0.8 m insulated cable without plug and as a version with 1.2 m insulated cable with plug.

#### SUPPLIED WITH:

brackets, screws, plugs and manual.

The Oceanus E range is available in 4 heights (775, 1.181, 1.411 and 1.763 mm) and 4 widths (400, 450, 495 en 585 mm). Emissions from 400 W to 1000 W.

## Oceanus E-VENTO

### ELECTRIC BATHROOM RADIATOR WITH PRE-ASSEMBLED PTC BLOWER

With the Oceanus E-VENTO you opt for a version with Blower. With a turbo boost, the PTC Blower ensures that the heat spreads extra quickly. A luxury that accustoms very quickly!



#### PRE-ASSEMBLED:

pre-filled with heating fluid. Equipped with thermostat, 950 Watt PTC blower and 1.2 m insulated cable with plug.

#### SUPPLIED WITH:

brackets, screws, plugs and manual.


The Oceanus E-VENTO range is available in 4 heights (775, 1.181, 1.411 and 1.763 mm) and 2 widths (495 and 585 mm). Emissions from 1350 W to 1950 W.

# ELEKTRISCHE RANGE

## Alto E

VERTICAL ELECTRIC RADIATOR WITH  
PROFILED FRONT

The Alto E is the electrical version of our vertical Alto radiator. It is space-saving due to its vertical design and only needs a socket to quickly achieve a high heat output.



### SUPPLIED WITH:

brackets, ETA safety screws and plugs, screws and plugs, installation instructions and RF-thermostat.

The Alto E range consists of type 11 available in 3 widths (500, 600 and 700 mm) and 1 height (1,800 mm). Emissions from 1250 W to 1750 W.

## Alto Plan E

VERTICAL ELECTRIC RADIATOR WITH  
DECORATIVE FLAT FRONT

The Alto Plan E combines the advantages of a vertical electric radiator with a sleek and decorative appearance. With the flat front, it comes into its own in the most beautiful interiors, even in small spaces where it is space-saving.



### SUPPLIED WITH:

brackets, ETA safety screws and plugs, screws and plugs, installation instructions and RF-thermostat.

### ACCESSORIES:

chrome magnetic towel bar.

The Alto Plan E range consists of type 11 available in 3 widths (500, 600 and 700 mm) and 1 height (1,800 mm). Emissions from 1250 W to 1750 W.

# WHY CHOOSE

## Henrad electric radiators?

### REASONS ENOUGH TO CHOOSE ELECTRIC HEAT



#### Ecological and sustainable

Electricity can be generated in an environmentally friendly way, making it an extremely sustainable energy source.



#### Ideal in combination with solar panels

Do you have solar panels? Then you can provide most of the electricity yourself, which is extra environmentally friendly.



#### Efficient heating

In a fairly short time you can enjoy a pleasant warmth.



#### Selective heating

If desired, you can heat a specific room separately and quickly. Ideal for the bathroom for example!



#### Carefree heating

Electric radiators do not require special periodic maintenance.



#### Easy to install




It is perfectly possible to add the electric radiators at a later stage. After all, no additional pipes need to be provided.



#### Plug & Play

You only need a free socket to operate this radiator.

# DECO RANGE



**DECO RANGE:** Alto Slim • Alto Swing • Alto Tango • Alto Plan • Alto Line • Compact Plan  
Compact Line • Reno Plan • Everest Plan • Everest Line Plinth & Everest Plan Plinth

**DECO RANGE 8 CONNECTIONS:** Everest Plan 8 • Everest Line 8

**DECO RANGE ECO:** Everest Slim ECO • Everest Line ECO • Everest Plan ECO

# DECO RANGE

## Alto Slim

VERTICAL DECORATIVE RADIATOR WITH  
A REFINED AND LIGHT DESIGN

The Alto Slim is undeniably a highlight in the range of vertical radiators. The smooth front and the black flush side panels and upper grille give the radiator incomparable class.



### SUPPLIED WITH:

brackets, screws and plugs, ETA safety screws and plugs, air vent, blind plugs and installation instructions.

### ACCESSOIRES:

design connection set, a towel rail (RVS or aluminium black or aluminium white) and a design top grille are available as accessory.

The Alto Slim range consists of 3 types (11, 21 and 22) available in 3 widths (470, 570 and 670 mm) and 2 heights (1,840 and 2,040 mm).

## Everest Slim ECO

HORIZONTAL DECORATIVE RADIATOR WITH  
A SUBTLE AND TRENDY DESIGN

Everest Slim ECO is the horizontal equivalent of the Alto Slim. Both can be coloured. When combined they ensure a spacious and light feel.

### PRE-ASSEMBLED:

preset adjustable Heimeier valve, ECO air vent and blind plugs.



### SUPPLIED WITH:

thermostatic design valve, spindle extension, brackets, screws and plugs and installation instructions.

### ACCESSOIRES:

a towel rail (RVS or aluminium black or aluminium white) is available as accessory (solely for width 1,070 mm).

The Everest Slim ECO range consists of 2 types (21 and 22) available in 6 heights (1,070 up to 2,070 mm) and 2 widths (545 and 645 mm).

# DECO RANGE

## Alto Swing

VERTICAL DECORATIVE RADIATOR WITH  
DECORATIVE ROUNDED CONTOURS

Elegant and decorative is how we can best describe the Alto Swing. The Alto Swing not only charms with its beautiful rounded contours, it also provides heating performance that exceeds expectations. With the wide availability of colours you can decide to have the Alto Swing blend into your interior, or have it stand out conspicuously on its own merits.



**SUPPLIED WITH:**

brackets, screws and plugs, ETA safety screws and plugs, air vent, blind plugs and installation instructions.

**ACCESSORIES:**


design connection set, chrome magnetic towel bar.

The Alto Swing range consists of 3 types (11, 21 and 22) available in 3 widths (481 up to 727 mm) and 2 heights (1,820 and 2,020 mm).

## Alto Tango

VERTICAL DECORATIVE RADIATOR WITH  
A SLEEK MINIMALISTIC DESIGN

The plain, sleek design means this radiator matches any interior in any living style. The front curves round nicely into the side panels in one flowing seamless form. A range of colours allows you to go that one step further in fully adapting the Alto Tango to match your interior requirements.



**SUPPLIED WITH:**

brackets, screws and plugs, ETA safety screws and plugs, air vent, blind plugs and installation instructions.

**ACCESSORIES:**

design connection set, chrome magnetic towel bar.

The Alto Tango range consists of 3 types (11, 21 and 22) available in 3 widths (410, 510 and 610 mm) and 2 heights (1,820 and 2,020 mm).

# Alto Plan

## VERTICAL DECORATIVE RADIATOR WITH FLAT FRONT

With its sleek design the Alto Plan ensures harmony and balance in your home. With its space-saving design this radiator is also highly suitable for small spaces. All types are provided with side panels for a compact unity.



### SUPPLIED WITH:

brackets, screws and plugs, ETA safety screws and plugs, air vent, blind plugs and installation instructions.

### ACCESSORIES:

design connection set, chrome magnetic towel bar.

The Alto Plan range consists of 4 types (11, 20, 21 and 22) available in 5 widths (300 up to 700 mm) and 4 heights (1,600 up to 2,200 mm).

# Everest Plan ECO

## HORIZONTAL DECORATIVE ECO RADIATOR WITH FLAT FRONT

The Everest Plan ECO is the similar horizontal implementation of the Alto Plan. The ECO principle of the serial flow is combined with a decorative appearance.



### PRE-ASSEMBLED:

preset adjustable Heimeier valve, ECO air vent and blind plugs.

### SUPPLIED WITH:

brackets, anti-lift clip, screws, plugs and installation instructions.


The Everest Plan ECO range consists of 4 types (11, 21, 22 and 33) available in 12 widths (400 up to 2,000 mm) and 6 heights (300 up to 900 mm).

# DECO RANGE

## Alto Line

VERTICAL DECORATIVE RADIATOR WITH  
FLAT STYLISED FRONT

The Alto Line has just that little bit extra. The clean lines give this radiator that extra dimension that distinguishes it from other radiators with a flat front. It is also a space-saving design so it can be perfectly integrated in small spaces. All types are provided with side panels for a compact unity.



### SUPPLIED WITH:

brackets, screws and plugs, ETA safety screws and plugs, air vent, blind plugs and installation instructions.

### ACCESSORIES:

design connection set, chrome magnetic towel bar.

The Alto line range consists of 3 types (11, 21 and 22) available in 5 widths (300 up to 700 mm) and 4 heights (1,600 up to 2,200 mm).

## Everest Line ECO

HORIZONTAL DECORATIVE ECO RADIATOR WITH FLAT  
STYLISED FRONT

The Everest Line ECO combines aesthetics to the various benefits of the ECO radiator. Because the Everest Line ECO has the same linear symmetry as the Alto line, together they create light and unity in your living space.



### PRE-ASSEMBLED:

preset adjustable Heimeier valve, ECO air vent and blind plugs.

### SUPPLIED WITH:

brackets, anti lift clip, screws and plugs and installation instructions.

The Everest Line ECO range consists of 4 types (11, 21, 22 and 33) available in 12 widths (400 up to 2,000 mm) and 6 heights (300 up to 900 mm).

## Everest Plan 8

**HORIZONTAL DECORATIVE RADIATOR WITH  
FLAT FRONT EQUIPPED WITH 8 CONNECTIONS**

The flat front and closely fitting decorative grille and side panels of the Everest Plan 8 result in a sleek and timeless design. The 8 connections offer an extraordinary flexibility to connectivity.



**PRE-ASSEMBLED:**

preset adjustable Heimeier valve, air vent and blind plugs.

**SUPPLIED WITH:**

brackets, anti lift clip, screws and plugs and installation instructions.

The Everest Plan range consists of 4 types (11, 21, 22 and 33) available in 18 widths (400 up to 3,000 mm) and 6 heights (300 up to 900 mm).

## Everest Line 8

**HORIZONTAL DECORATIVE RADIATOR WITH  
FLAT STYLISED FRONT EQUIPPED WITH 8 CONNECTIONS**

The Everest Line 8 is a decorative radiator that creates an atmosphere of light and space with the symmetry of the horizontal lines. Because of the 8 connections, this radiator is multi employable for both new build projects as well as small and large renovations.



**PRE-ASSEMBLED:**

preset adjustable Heimeier valve, air vent and blind plugs.

**SUPPLIED WITH:**

brackets, anti lift clip, screws and plugs and installation instructions.

The Everest line range consists of 4 types (11, 21, 22 and 33) available in 10 widths (500 up to 2,000 mm) and 6 heights (300 up to 900 mm).

# DECO RANGE

## Compact Plan

HORIZONTAL COMPACT RADIATOR WITH FLAT FRONT

The Compact Plan is the decorative variant of the traditional Compact radiator. The Compact Plan differs from a regular Compact radiator because it is fully equipped with a flat front, slim fit casing and grille.

**The Reno Plan** is the variant of the Compact Plan specially developed for renovation purposes. Old cast iron radiators can be stylishly replaced by this decorative radiator while preserving the existing pipes.



### SUPPLIED WITH:

brackets, anti-lift clip, air vent and blind plug, screws, plugs and installation instructions.

The Compact Plan range consists of 4 types (11, 21, 22 and 33) available in 12 widths (400 up to 2,000 mm) and 6 heights (300 up to 900 mm). The Reno Plan range consists of 4 types (11, 21, 22 and 33) available in 12 widths (400 up to 2,000 mm) and 2 heights (550 and 950 mm).

## Compact Line

HORIZONTAL COMPACT RADIATOR WITH FLAT STYLISTED FRONT

The Compact Line with its flat style appearance is the equivalent of the Compact Plan. It differs by the beautiful symmetric lines in the front plate.



### SUPPLIED WITH:

brackets, anti-lift clip, air vent and blind plug, screws, plugs and installation instructions.

The Compact Line range consists of 4 types (11, 21, 22 and 33) available in 12 widths (400 up to 2,000 mm) and 6 heights (300 up to 900 mm).

# Everest Plan Plinth

PLINTH RADIATOR WITH FLAT FRONT

# Everest Line Plinth

PLINTH RADIATOR WITH FLAT STYLISED FRONT

The plinth radiators ensure optimal warmth with a minimum of height! These low radiators are highly suitable for spaces with large window sections, shop windows, verandas, winter gardens and under window sills. The cold air next to a window is converted into pleasant warmth. Both the Everest Plan Plinth and the Everest Line Plinth are available with a flat front only or as a double version with a flat front and rear.



**PRE-ASSEMBLED:**

adjustable Heimeier valve.

**SUPPLIED WITH:**

air vent and blind plugs.

**PRE-ASSEMBLED:**

adjustable Heimeier valve.


**SUPPLIED WITH:**

air vent and blind plugs.

The Everest Plan Plinth range consists of 3 types (22, 33 and 44) available in 9 widths (1,000 up to 2,600 mm) and 1 height (200 mm).

The Everest Line Plinth range consists of 3 types (22, 33 and 44) available in 9 widths (1,000 up to 2,600 mm) and 1 height (200 mm).

# DESIGN RANGE



**DESIGN RANGE :** Arno Single • Arno Double • Verona Vertical • Venice

# DESIGN RANGE

## Arno Single

VERTICAL DESIGNRADIATOR WITH ROUND TUBES

A sleek and timeless vertical radiator for bathrooms and kitchens, that is the Arno Single. The regular rhythm of horizontal round tubes simultaneously adds peace and dynamism to any room it decorates. Arno Single also achieves a high heat emission so towels and items of clothing can be heated quickly in its practical cut-outs.



### SUPPLIED WITH:


4 white brackets (in chrome for any other radiator colour), screws, plugs, air vent, blind plugs and installation instructions.

The Arno Single range is available in 4 widths (500, 600, 750 and 900 mm) and 4 heights (1.199, 1.495, 1.791 and 2.013 mm).

## Arno Double

VERTICAL DESIGNRADIATOR WITH DOUBLE ROW OF ROUND TUBES

The vertical Arno Double does not merely look more powerful, it also lives up to the expectation. Arno Double delivers high performance and can heat the whole bathroom or kitchen at a pleasant temperature. This modern classic fits virtually everywhere thanks to the no nonsense design of regularly arranged round tubes and the handy cut-outs for drying towels.



### SUPPLIED WITH:

4 white brackets (in chrome for coloured radiators), screws, plugs, blind plugs and installation instructions.


The Arno Double range is available in 4 widths (500, 600, 750 and 900 mm) and 4 heights (1.199, 1.495, 1.791 and 2.013 mm).

# DESIGN RANGE

## Verona Vertical

**VERTICAL DESIGN RADIATOR WITH A SLEEK AND STURDY LOOK**

The vertical slats of the Verona Vertical radiator are parallel to the wall, turning this cleverly designed heat source into a spatial miracle. Discreet in white or a bold statement in golden yellow; Verona Vertical is a versatile player which offers additional value to every environment. Verona Vertical is available in different configurations.



**SUPPLIED WITH:**

4 white brackets (in chrome for coloured radiators), screws, plugs, anti-lift clip, bracket hidere, design air vent and design blind plug, blind plugs and installation instructions.

The Verona Vertical range is available in 4 widths (408, 538, 668 and 798 mm) and 3 heights (1.600, 1.800 and 2.000 mm).

## Venice

**VERTICAL DESIGN RADIATOR WITH A SLEEK AND STURDY LOOK**

The Venice bathroom radiator joins sleek and timeless design with practical solutions for hanging and drying towels. This comfortable radiator makes narrow bathrooms look wider, thanks to its horizontal lines. Due to its ingenious flat-tube-on-tube design Venice also saves precious space and matches all styles.




**SUPPLIED WITH:**

4 white brackets (in chrome for coloured radiators), screws, plugs, anti-lift clip, bracket hidere, design air vent and design blind plug, blind plugs and installation instructions.

The Venice range is available in 2 widths (450 and 600 mm) and 4 heights (1.186, 1.511 and 1.771 mm).



# STANDARD RANGE



**STANDARD RANGE:** Alto • Compact All In • Standard All In

**STANDARD RANGE 8 CONNECTIONS:** Premium 8

ELECTRIC RANGE: Alto E

# STANDARD RANGE

## Alto

VERTICAL PANEL RADIATOR WITH CENTRAL CONNECTION

Do you only have limited space to fit a radiator? The Alto radiator is the solution. This vertical radiator takes up a minimum of space and optimally heats the cold air next to large window sections in the kitchen or entrance hall.

### SUPPLIED WITH:

brackets, ETA safety screws and plugs, screws and plugs, air vent, blind plugs and installation instructions.



## Compact All In

ENCASED PANEL RADIATOR

## Premium 8

ENCASED PANEL RADIATOR  
EQUIPPED WITH 8 CONNECTIONS

The Premium All In radiator is fully enclosed with side panels and a new decorative grille that both fit seamlessly to the radiator. Moreover, the pipes at this radiator are not visible. Because of the 8 connections, this radiator is multi employable. Renovation while maintaining existing piping is perfectly possible.

### PRE-ASSEMBLED:

preset adjustable Heimeier valve, air vent and blind plugs.

### SUPPLIED WITH:

brackets, screws and plugs, and installation instructions.



The Compact All In radiator is fully enclosed with side panels and a new decorative grille that both fit seamlessly to the radiator. Also available as a standard radiator without casing.

### SUPPLIED WITH:

brackets, anti-lift clip, screws, plugs, air vent, blind plug and installation instructions.

The range of the:




Alto consists of 5 types (10, 11, 20, 21 and 22) available in 5 widths (300 up to 700 mm) and 4 heights (1,600 up to 2,200 mm).

Premium 8 consists of 4 types (11, 21, 22 and 33) available in 18 widths (400 up to 3,000 mm) and 6 heights (300 up to 900 mm).

Compact All In consists of 4 types (11, 21, 22 and 33) available in 18 widths (400 up to 3,000 mm) and 6 heights (300 up to 900 mm).

Standard All In radiator consists of 4 types (11, 21, 22 and 33) available in 18 widths (400 up to 3,000 mm) and 6 heights (300 up to 900 mm).

# SPECIAL RANGE



**SPECIAL RANGE:** Premium Plinth • Reno

**SPECIAL RANGE HYGIENE:** Hygiene • Hygiene Galva

**SPECIAL RANGE GALVA:** Vertical Galva • Galva • Hygiene Galva • ECO Galva

**SPECIAL RANGE ECO GALVA:** Hygiene ECO Galva • ECO Galva

DECO RANGE: Reno Plan

# SPECIAL RANGE

## Hygiene ECO Galva

ECO RADIATOR FOR USE IN HUMID SPACES

The galvanized version of the Hygiene ECO radiator has an extra protective coating for use in humid spaces.



### PRE-ASSEMBLED:

preset Heimeier valve, ECO air vent and blind plugs.

### SUPPLIED WITH:

brackets, screws, plugs, air vent, blind plug and installation instructions

The range of the Hygiene ECO Galva consists of 3 types (10, 20 and 30) available in 18 widths (400 up to 3,000 mm) and 6 heights (300 up to 900 mm).

## Hygiene (Galva)

HYGIENE RADIATOR (FOR USE IN HUMID SPACES)

The Hygiene radiator without grille and casing is specially developed for environments where safety and hygiene are all-important.

In addition the Hygiene Galva has been treated with an extra protective coating for use in humid spaces.



### SUPPLIED WITH:

brackets, screws, plugs, blind plug, air vent and installation instructions.


The range of the Hygiene consists of 3 types (10, 20 and 30) available in 18 widths (400 up to 3,000 mm) and 6 heights (300 up to 900 mm). The range of the Hygiene Galva consists of 3 types (10, 20 and 30) available in 18 widths (400 up to 3,000 mm) and 6 heights (300 up to 900 mm).

# SPECIAL RANGE

## Vertical Galva

FOR USE IN HUMID SPACES

The Vertical Galva radiator has been treated with an extra protective coating for use in humid spaces.



### SUPPLIED WITH:

brackets, ETA safety screws and plugs, screws and plugs, air vent, blind plugs and installation instructions.

### ACCESSORIES:

design connection set, chrome towel bar.

The range of the Vertical Galva consists of 5 types (10, 11, 20, 21 and 22) available in 5 widths (300 up to 700 mm) and 4 heights (1,600 up to 2,200 mm).

## Galva & ECO Galva

(ECO) RADIATOR FOR USE IN HUMID SPACES

The galvanized version of the ECO radiator has an extra protective coating for use in humid spaces.

The ECO Galva is supplied without grille and casing.



### ECO GALVA PRE-INSTALLED:

preset Heimeier valve, ECO air vent and blind plugs.

### SUPPLIED WITH:

brackets, screws, plugs, air vent, blind plug and installation instructions.

The range of the Galva consists of 4 types (11, 21, 22 and 33) available in 18 widths (400 up to 3,000 mm) and 6 heights (300 up to 900 mm). The range of the ECO Galva consists of 4 types (11, 21, 22 and 33) available in 18 widths (400 up to 3,000 mm) and 6 heights (300 up to 900 mm).

# SPECIAL RANGE

## Premium Plinth

ENJOY OPTIMAL WARMTH WITH A HEIGHT OF JUST 200 MM

The plinth radiators ensure optimal warmth with a minimum of height! These low radiators are highly suitable for spaces with large window sections, shop windows, verandas, winter gardens and under window sills. The cold air next to a window is converted into pleasant warmth.

**PRE-ASSEMBLED:**

adjustable Heimeier valve.

**SUPPLIED WITH:**

air vent, blind plugs and installation instructions.



## Reno

A compact radiator with very specific dimensions to replace old cast-iron and ribbed radiators while using the existing piping system.




**SUPPLIED WITH:**

installation instructions.

The range of the Premium Plinth consists of 3 types (22, 33 and 44) available in 9 widths (1,000 up to 2,600 mm) and 1 height (200 mm).

The range of the Reno consists of 3 types (21, 22 and 33) available in 18 widths (400 up to 3,000 mm) and 2 heights (550 and 950 mm).

# BATHROOM RANGE



**BATHROOM RANGE:** Oceanus • Aphrodite

**BATHROOM RANGE DESIGN:** Arno Single • Arno Double • Verona Vertical • Venice

# BATHROOM RANGE

## Oceanus

### TRADITIONAL BATHROOM RADIATOR

When building or converting a home there is an increasing desire for an attractive bathroom with the use of high quality materials. The Oceanus is a traditional bathroom radiator that retains the timeless character of the bathroom with its simplicity and symmetry of straight, round tubes. This radiator can also be used as a partition wall to create separate areas according to your personal taste.



#### SUPPLIED WITH:


brackets, air vent, blind plugs, screws and plugs and installation instructions.

The Oceanus range has 5 widths (400, 450, 495, 585 and 737) and 5 heights (775, 1,181, 1,411, 1,763 and 1,993).

## Aphrodite

### ELEGANT BATHROOM RADIATOR

A bathroom is often also a place for slowing down, beauty and relaxation. The Aphrodite bathroom radiator enhances this feeling of wellbeing in its own way with its aesthetic design. With the curved round tubes and light structure the Aphrodite can only bring added value for your bathroom.





#### SUPPLIED WITH:

brackets, air vent, blind plugs, screws and plugs and installation instructions.

The Aphrodite range has 3 widths (495, 585 and 737 mm) and 3 heights (775, 1,181 and 1,763 mm).

Australia • Belgium • Cyprus • Czechia • France • Germany • Greece • Iceland • Lithuania  
Luxembourg • Netherlands • Norway • Poland • Russia • Slovenia • Sweden • Tunisia • Ukraine



## HENRAD

Henrad N.V.

Welvaartstraat 14 box 6 • 2200 Herentals • Belgium

T. +32 (0)14 212 075

[WWW.HENRAD.EU](http://WWW.HENRAD.EU)

