




HENRAD

DISCOVER HESTIA AND HESTIA CT



BATHROOM RANGE

GENERAL INFORMATION

EN442 (W)	70/50/20°C
EN442 (W)	55/45/20°C
EN442 (W)	75/65/20°C


HESTIA · HESTIA CT

The Henrad Hestia is a traditional bathroom radiator that retains the timeless character of the bathroom with its simplicity and symmetry of straight, round tubes. This radiator can also be used as a partition wall to create separate areas according to your personal taste. Also available with a centre connection.

- Product:** the classic bathroom radiator, also available with a centre connection
- Also supplied:** 4 wall brackets, screws, plugs, air vent, blind plugs and installation instructions
- Connections:** 4 x 1/2" female connection (6 x 1/2" if with centre connection)
- Packaging:** Every radiator is sturdily packaged in high-quality cardboard and wrapped in plastic. The radiator's characteristics are shown on the label: type - height - length.
- Warranty:** 10 years, as long as the installation instructions have been followed, Henrad's warranty conditions have been met and the radiator is installed outside the splash area.
- Paint process:** All radiators are degreased, phosphated and powder-coated in Henrad white 9016 as standard.
- Colours:** Henrad white 9016
- Max. operating pressure:** 10 bar (tested to 13 bar)
- Max. operating temperature:** 95 °C
- Conformity:** in accordance with EN442
- Quality assurance:** NF 047
- Heights:** 775 | 1.217 | 1.469 | 1.856 mm
- Number of tubes:** 16 | 22 | 28 | 34
- Lengths:** 500 | 600 | 750 mm
- Tubes:** horizontal, O-section, diameter of 22 mm
- Collector:** vertical, D-section



Length	500	600	750	
H775	W	273	322	
	W	194	228	
	W	357	420	
	kg	5,8	6,6	
	l	3,6	4,1	
	m ²	0,6	0,8	
	n	1,20	1,19	
	Tubes	16	16	
Art.N°	01870775010500	01870775010600		
CT	01860775010500	01860775010600		
H1217	W	388	452	548
	W	272	317	384
	W	511	595	721
	kg	8,3	9,6	11,4
	l	5,2	5,9	7,0
	m ²	0,9	1,1	1,3
	n	1,23	1,23	1,23
	Tubes	22	22	22
Art.N°	01871217010500	01871217010600	01871217010750	
CT	01861217010500	01861217010600	01861217010750	
H1469	W	477	560	683
	W	335	392	479
	W	629	737	899
	kg	10,4	11,9	14,3
	l	6,5	7,4	8,7
	m ²	1,2	1,4	1,6
	n	1,24	1,23	1,23
	Tubes	28	28	28
Art.N°	01871469010500	01871469010600	01871469010750	
CT	01861469010500	01861469010600	01861469010750	
H1856	W	596	700	854
	W	417	490	599
	W	786	922	1.125
	kg	12,8	14,6	17,3
	l	8,0	9,1	10,7
	m ²	1,4	1,7	2,0
	n	1,24	1,24	1,24
	Tubes	34	34	34
Art.N°	01871856010500	01871856010600	01871856010750	
CT	01861856010500	01861856010600	01861856010750	




RH	H1	H2
775	94	680
1217	94	1110
1469	94	1365
1856	94	1770

RL	A	F	CW	FW
500	455	350	75-85	90-100
600	555	450	75-85	90-100
750	705	600	75-85	90-100



RADICATEURS, CONVECTEURS ET PANNEAUX RAYONNANTS À EAU CHAUDE - NF 047



HEATING ELEMENT FOR BATHROOM RADIATORS

- heating element class I or class II, IP54
- ON/OFF switch and 1/2" connection
- Use only in vertical position

WHEN USING THE HEATING ELEMENT:




- close radiator inlet
- radiator outlet must remain open

Can only be used in radiators operating in a central heating system.

When operating in humid conditions: mandatory regulations should be respected

T-component: allows heat element to be mounted at in or outlet

- Art. N°. T2085
- Colour: Henrad white 9016



			recommended heating element										
			775		1217			1469			1856		
Class II	Class I		500	600	500	600	750	500	600	750	500	600	750
Art. N°. T2094	Art. N°. T2028	300W	w	w	w	w	w	w	w	w	w	w	w
Art. N°. T2095	Art. N°. T2082	600W				w	w	w	w	w	w	w	w
Art. N°. T2096	Art. N°. T2084	900W								w		w	w


recommended

allowed


prohibited

BATHROOM RADIATOR AS ROOM DIVIDER

Art. N°. T1630
Colour: Henrad white 9016 only



Australia • Belgium • Cyprus • Czechia • France • Germany • Greece • Iceland • Lithuania
Luxembourg • Norway • Poland • Slovenia • Sweden • The Netherlands • Tunisia • Ukraine



HENRAD

Henrad nv
Welvaartstraat 14 box 6 • 2200 Herentals • Belgium

WWW.HENRAD.EU

